



OCTOBER '26
JANUARY '27

ON SALE

ITM 4000PSI, 12HP DIESEL PRESSURE WASHER

- Powerful 12HP air cooled diesel engine
- Max Pressure: 4000PSI
- Flow Rate: 17 L/min
- Electric / Recoil Start
- High quality triplex pump with ceramic coated stainless steel pistons
- 15m Quick connect steel braided hose
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
- Heavy duty powder coated steel frame
- Large puncture proof solid wheels



DIESEL

•\$2899

PART NO.	ENGINE	PRESSURE
TM543-4000	12hp Air Cooled Diesel Engine	4000PSI

TENGTTOOLS 115 PIECE OFFROAD STARTER TOOLKIT

- Full EVA tool storage for every tool
- 67 Pce metric socket & accessory tray with 1/4", 3/8" & 1/2" Dr., including 4mm to 32mm sockets
- 33 Pce screwdriver, spanner & hex key tray, with 8-19mm spanners, Phillips, Flat, TX & TPX screwdrivers
- 15 Pce general tool set tray with hack saw, measuring tape, parallel pin punches & a range of TPR grip pliers
- Heavy steel offroad waterproof box, roll cage protection & T-handle locking



TENGTOOLS



•\$1795

PART NO.	DESCRIPTION
TE-TKORG115	115 PIECE OFFROAD STARTER TOOLKIT

HOLEMAKER PRO 35 MAGNETIC BASE DRILL

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg
- Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm
- Capacity (depth) 52mm
- Unique dual rail slide system increases machine rigidity and improves cutter life
- Gravity feed coolant system with magnetically attached bottle



•\$1299

Holemaker
Drilling Solutions By ITM®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPR035	35 x 52mm	10kg

ITM 15KVA SILENCED DIESEL GENERATOR

- Max Watts: 12000W
- Rated Watts: 11000W
- Silenced cabinet design
- 2 x 15A IP66 outlets
- 1 x 32A IP66 outlets
- Electric key start
- Worksite Compliant IP66 outlets & RCD
- Powerful and reliable diesel engine
- 26L fuel tank
- 9 hour run time
- THD <5% & AVR
- Designed for the professional tradesman or rural property owner needing a tough yet reliable source of power



DIESEL

•\$6499

PART NO.	KVA RATING	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM524-12000S	15	12,000W	11,000W	2 x 15A and 1 x 32A

OUR LEADING BRANDS:



ITM 5.5HP PETROL POWERED BELT DRIVE AIR COMPRESSOR

5.5 HP POWERED by HONDA

- Powered by a 5.5hp Honda GX160 4 stroke OHV petrol engine
- Free Air Delivery: 355 L/min
- Cast-iron single cylinder pump with aluminium head
- Automatic idle control
- 145psi (10bar) Max. Pressure
- 3-year pump warranty



.\$2499

PART NO.	TANK	PUMP	MOTOR	FAD
TM352-55060	60L	SINGLE	GX160 5.5HP	355 L/Min

ITM 9HP HONDA POWERED BELT DRIVE AIR COMPRESSOR

9 HP POWERED by HONDA

- 9.0hp Honda GX270 petrol engine
- 150L air receiver
- Free Air Delivery: 635 L/min (22.4 CFM)
- Max. Pressure: 145psi (10 bar)
- Twin cylinder belt drive pump, 755 L/min
- (26.6 CFM) displacement
- Low 940rpm pump speed for long service life
- Ideal for mobile service vehicles, construction, rural & mining sites away from mains power
- 1280 x 480 x 1000mm
- Weight: 191kg



.\$4785

PART NO.	TANK	PUMP	MOTOR	FAD
TM352-90150	150L	V-TWIN	GX270 9HP	635 L/min

ITM 13HP HONDA POWERED BELT DRIVE AIR COMPRESSOR

13 HP POWERED by HONDA

- 13HP Honda GX390 petrol engine
- 270L air receiver
- Max. Pressure: 145psi (10 bar)
- Free Air Delivery: 840 L/min (29.6 CFM)
- Pump Displacement: 1260 L/min (44 CFM)
- Triple cylinder belt drive pump, 920rpm
- Ideal for sites, mobile service vehicles & remote work away from mains power
- 1330 x 530 x 1160mm
- Weight: 256kg



.\$6899

PART NO.	MAX PRESSURE	TANK CAPACITY	MOTOR	FAD
TM352-13270	145PSI (10 BAR)	270L	GX390 9HP	840 L/min

ITM 2.5 HP BELT DRIVE AIR COMPRESSORS

2.5 HP

- Durable copper wound motor
- Full brass non-return valve
- Soft start valve
- Condor pressure switch
- 145psi (10 bar) max. pressure
- Thermal overload protection
- Includes filter regulator with one-touch "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



PART NO.	TANK	PUMP	MOTOR	FAD	NORMALLY	NOW
TM351-25060	60L	V-TWIN	2.5HP 10amp	257 L/Min	\$1199.00	\$1099.00
TM351-25090	90L	V-TWIN	2.5HP 10amp	257 L/Min	\$1399.00	\$1279.00

ITM 3.0 HP BELT DRIVE AIR COMPRESSORS

3 HP

- Ideal for commercial applications
- Durable copper wound motor
- Full brass non-return valve
- Soft start valve
- Condor pressure switch
- 145psi (10 bar) max. pressure
- Thermal overload protection
- Includes filter regulator with one-touch "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



PART NO.	TANK	PUMP	MOTOR	FAD	NORMALLY	NOW
TM351-30050	50L	SINGLE	3.0HP	318 L/Min	\$1299.00	\$1149.00
TM351-30060	60L	TRIPLE	3.0HP	328 L/Min	\$1499.00	\$1399.00
TM351-30090	90L	TRIPLE	3.0HP	328 L/Min	\$1599.00	\$1549.00

ITM REFRIGERANT DRYERS

- Produces dry and quality compressed air which prolongs the lifetime of your equipment.
- Water vapour is eliminated, avoiding corrosion in your compressed air network and tools.
- Lowers your maintenance costs and improves your overall production process for complete peace of mind
- Nationwide service and warranty supported by Air Technology Group and ITM service network
- 13 Bar Max. Working Pressure
- 3/4 Thread G Connection



PART NO.	CAPACITY	NOISE	POWER	PRICE
TM357-035	35 CFM (990 L/min)	66 dBA	350W	\$1729.00
TM357-074	74 CFM (2095 L/min)	72 dBA	460W	\$2339.00

ITM STATIONARY AIR COMPRESSORS

- Cast-iron cylinder with aluminium heads
- Powerful and efficient induction motor
- Soft start valve for motor protection
- Thermal overload protection with manual reset for demanding applications
- Full brass non-return valve
- Certified safety valve
- Reliable Condor pressure switch
- Includes twin outlet one-touch "Nitto style" connectors
- Max Pressure: 145 PSI (10 Bar)
- 3 year motor and pump warranty



PART NO.	TANK	PUMP	MOTOR	FAD	NORMALLY	NOW
TM353-55200	200L	V-TWIN	5.5HP	507 L/Min	\$3099.00	\$2999.00
TM353-75270	270L	TRIPLE	7.5HP	704 L/Min	\$4149.00	\$3899.00
TM353-10270	270L	TRIPLE	10HP	1143 L/Min	\$4549.00	\$4349.00

ITM SILENCED CABINET PISTON COMPRESSORS

- An intelligent design to combine the quiet operation of a screw compressor with the cost benefits of a piston compressor
- Slower RPM to reduce noise & increase pump life
- Soundproof cabinet. Very quiet 65dB at 7m
- Compact design & easy to use control panel
- Powerful high efficiency induction motor



PART NO.	TANK	PUMP	MOTOR	FAD	NORMALLY	NOW
TM355-55270	270L	V-TWIN	5.5HP	465 L/Min	\$4574.00	\$4369.00
TM355-75270	270L	TRIPLE	7.5HP	595 L/Min	\$5094.00	\$4889.00
TM355-10270	270L	TRIPLE	10HP	960 L/Min	\$5614.00	\$5409.00

ITM ROTARY SCREW COMPRESSORS

- Complete package with screw, tank, dryer and pre/post filters
- Fully sealed cabinet with extra high soundproofing and noise-reducing partitions to minimise noise
- Extra large surface cooler allows unit to operate at ambient temperatures under 46°C
- Premium filtration with ultra low oil carry over meaning less contamination resulting in cleaner air
- Intelligent control system with self-service timing management
- Nationwide service and warranty supported by Air Technology Group and ITM service network
- Max. Pressure: 145 psi (10 bar)



PART NO.	TANK	NOISE	MOTOR	FAD	PRICE
TM356-10270	270L	66 dBA	10HP	1080 L/Min	\$13399.00
TM356-15500	500L	72 dBA	15HP	1620 L/Min	\$14399.00
TM356-20500	500L	73 dBA	20HP	1980 L/Min	\$15449.00

ABAC BELT DRIVE AIR COMPRESSORS

- ABAC Compressors are synonymous with efficiency, reliability, and superior air powered solutions
- Highest quality components for demanding applications
- Very high FAD power output
- Twin cylinder belt drive pump
- Premium Condor pressure switch
- Filter regulator & twin Nitto-style coupler outlets
- Soft start valve & full brass non-return valve
- Max Pressure: 145 PSI (10 Bar)
- 3 year motor and pump warranty



PART NO.	TANK	PUMP	MOTOR	FAD	NORMALLY	NOW
ABAC351-20050	50L	V-TWIN	2.0HP 10amp	245 L/Min	\$1395.00	\$1295.00
ABAC351-30100	100L	V-TWIN	3.0HP 15amp	340 L/Min	\$1939.00	\$1795.00

ABAC STATIONARY AIR COMPRESSORS

- Very high FAD power output stationary compressors designed for heavy duty workshops with large volume air usage
- Highest quality components for demanding applications
- Premium Condor switches
- Filter regulator & twin Nitto-style coupler outlets
- Soft start valve & full brass non-return valve
- Max Pressure: 145 PSI (10 Bar)
- 3 year motor and pump warranty



PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
ABAC353-55150	150L	V-TWIN	5.5HP	615 L/Min	\$3895.00
ABAC353-75270	270L	TRIPLE	7.5HP 415V	950 L/Min	\$5395.00
ABAC353-10270	270L	TRIPLE	10HP 415V	1250 L/Min	\$5995.00
ABAC353-15500	500L	QUAD	15HP 415V	1670 L/Min	\$8495.00

ABAC 10HP VARIABLE SPEED DRIVE SCREW COMPRESSORS

- Advanced Variable Speed Drive Screw Technology
- Made in Italy with high quality components
- Complete ready to go package with screw, tank and dryer included.
- User-friendly and intuitive controller system that increases uptime
- 10HP Variable Speed Motor, 415V
- 1110 L/min (39CFM) Free Air Delivery
- 200 L Tank
- 138 PSI (9.5 Bar) Max Pressure
- Quiet, only 63 dB
- 2 Year Warranty



PART NO.	DESCRIPTION	PRICE
ABAC356-10200N	INCLUDES SCREW COMPRESSOR & TANK	\$8999.00
ABAC356-10200	INCLUDES DRYER, SCREW COMPRESSOR & TANK	\$10999.00

ITM 3.75KVA GX200 PETROL GENERATOR

POWERED by HONDA

- 3000W Max. Output, 2800W Rated Output
- Honda GX200 6.5hp 4-stroke OHV petrol engine
- 1x IP66 15A outlet for superior protection in tough environments
- A.V.R. technology for clean, stable power supply
- R.C.D. fitted for enhanced electrical safety
- Low oil sensor protects the engine from damage
- 3.6L fuel tank
- 4.5 hours running time
- Recoil start
- 75dB @ 7m full load
- Weight: 47kg
- 2 year trade warranty
- 3 year Honda engine warranty



NORMALLY \$1499
.\$1349 PRICE CUT

PART NO.	ENGINE	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM522-3000	6.5hp GX200	3,000W	2,800W	1 x 15A

ITM 13KVA GX630 PETROL GENERATOR

POWERED by HONDA

- 22hp Genuine Honda GX630 engine
- 10,500W Maximum Watts
- 2 x 15A, 1 x 32A IP66-rated power outlets
- RCD for enhanced electrical safety
- Low oil sensor to protect the engine
- Low THD of <5%
- Electric start
- 2-year trade warranty
- 3-year Honda engine warranty
- 11 Hours running time
- Wheel Kit Sold Separately



.\$6749

PART NO.	ENGINE	MAX.WATTS	RATED WATTS	IP66 OUTLETS
TM522-10500	22hp GX630	10,500W	9,500W	2 x 15A and 1 x 32A

ITM CONSTRUCTION SERIES PETROL GENERATORS

- Powerful 4 stroke OHV engines
- Low oil sensor
- Digital multimeter display
- Large capacity fuel tanks
- Electric start with Remote and battery supplied
- Complete with handle and wheel kit
- 3 in 1 Multi-function control
- Robust construction



PART NO.	MAX. WATTS	RATED WATTS	ENGINE HP	OUTLETS	NORMALLY	NOW
TM520-3400	3400W	3200W	8hp	1x 15A	\$1629.00	\$1549.00
TM520-5500	5500W	5000W	13hp	2x 15A	\$2399.00	\$2249.00
TM520-6500	6500W	6000W	15hp	2x 15A	\$2649.00	\$2449.00
TM520-8000	8000W	7500W	17hp	2x 15A	\$2899.00	\$2749.00

ITM 7.5KVA GX390 PETROL GENERATOR

POWERED by HONDA

- 6000W max, 5500W rated output
- Honda GX390 13hp 4-stroke OHV engine
- A.V.R. for clean, stable power
- 2 x IP66 15A outlets
- R.C.D. protected for safety
- Low oil sensor protects engine
- 25L fuel tank
- 13 hours running time
- Recoil start
- Handle & wheel kit included
- 78dB @ 7m full load
- Weight: 80kg
- 2 year trade warranty
- 3 year Honda engine warranty




NORMALLY \$2799
.\$2499 PRICE CUT

PART NO.	ENGINE	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM522-6000	13hp GX390	6,000W	5,500W	2 x 15A

ITM 15KVA GX690 PETROL GENERATOR

POWERED by HONDA

- 24hp Genuine Honda GX690 engine
- 12,000W Maximum Watts
- 2 x 15A, 1 x 32A IP66-rated power outlets
- RCD for enhanced electrical safety
- Low oil sensor to protect the engine
- Low THD of <5%
- Electric start
- 2-year trade warranty
- 3-year Honda engine warranty
- 11 Hours running time
- Wheel Kit Sold Separately



.\$7069

PART NO.	ENGINE	MAX.WATTS	RATED WATTS	IP66 OUTLETS
TM522-12000	24hp GX690	12,000W	10,500W	2 x 15A and 1 x 32A

ITM 12.5KVA CONSTRUCTION SERIES PETROL GENERATOR

- Max Watts: 10,000W
- Rated Watts: 9,000W
- Powerful 4 Stroke OHV Engine
- IP66 rated power outlets
- RCD for enhanced electrical safety
- Digital Multimeter display
- Starting System: Electric r/remote-
- Noise @ 7m full load: 80 dB
- Running Time @ 50% Load: 10 Hours
- Complete with handle and wheel kit



NORMALLY \$3899
.\$3599

PART NO.	MAX. WATTS	RATED WATTS	ENGINE HP	OUTLETS
TM520-10000	10,000W	9000W	18HP	1 x 15A & 1 x 32A

ITM 8.1KVA DIESEL GENERATOR

- Max Watts: 6500W
- Rated Watts: 6000W
- 2 x 15a IP66 outlets
- Electric key start
- Worksite Compliant IP66 outlets and RCD
- 4 Wheels for easy transportation
- Powerful and reliable diesel engine
- Large 12.5L tank for extended run time
- THD 5%
- Automatic voltage regulator



DIESEL
.\$2499

PART NO.	MAX. WATTS	RATED WATTS	OUTLETS	ENGINE
TM524-6500	6,500W	6,000W	2 x 15a	10HP DIESEL

ITM 10.3KVA SILENCED DIESEL GENERATOR

- Max Watts: 8300W
- Rated Watts: 7800W
- Silenced cabinet design
- 1x15a & 1x32a IP66 outlets
- Electric key start
- Worksite Compliant IP66 outlets & RCD
- 4 Wheels for easy transportation
- Powerful and reliable diesel engine
- Large 26L tank for extended run time
- THD <5% & Automatic voltage regulator



NORMALLY \$4099
DIESEL
.\$3999

PART NO.	MAX. WATTS	RATED WATTS	OUTLETS	ENGINE
TM524-8300S	8,300W	7,800W	1x15a & 1x32a	12.7HP DIESEL

ITM 17.5KVA SILENCED DIESEL GENERATOR

- 14,000W Max.
- 13,000W Rated
- 21HP air cooled diesel engine, electric start
- Silenced cabinet - only 80dB @ 7m full load
- Genuine HGM501 SmartGen controller with automatic protective shutdown & pre alarm warning
- A.V.R. alternator, THD <5% for sensitive electronics
- 2 x 15A and 1x32A IP66 outlets & R.C.D.
- A.T.S. outlet & 2-wire remote start
- 26L fuel tank, 8 hours @ 50% load
- Heavy-duty wheels, low oil sensor
- Weight: 325kg
- 2 Year Trade Warranty



DIESEL
.\$7799

PART NO.	MAX. WATTS	RATED WATTS	OUTLETS	ENGINE
TM524-14000S	14,000W	13,000W	2 x 15A, 1 x 32A	21HP DIESEL

ITM 8.1KVA SILENCED DIESEL GENERATOR

- Max Watts: 6,500W
- Rated Watts: 6,000W
- Silenced cabinet design
- 2x15a IP66 outlets
- Electric key start
- Worksite Compliant IP66 outlets & RCD
- 4 Wheels for easy transportation
- Powerful and reliable diesel engine
- Large 30L tank for extended run time
- THD <5% & Automatic voltage regulator



NORMALLY \$3099
DIESEL
.\$2999

PART NO.	MAX. WATTS	RATED WATTS	OUTLETS	ENGINE
TM524-6500S	6,500W	6,000W	2 x 15a	10HP DIESEL

ITM 15KVA SILENCED DIESEL GENERATOR

- Max Watts: 12000W
- Rated Watts: 11000W
- Silenced cabinet design
- 2x15a & 1x32a IP66 outlets
- Electric key start
- Worksite Compliant IP66 outlets & RCD
- 4 Wheels for easy transportation
- Powerful and reliable diesel engine
- Large 26L tank for extended run time
- THD <5% & Automatic voltage regulator



NORMALLY \$6799
DIESEL
.\$6499

PART NO.	MAX. WATTS	RATED WATTS	OUTLETS	ENGINE
TM524-12000S	12,000W	11,000W	2 x 15A and 1 x 32A	19HP DIESEL

ITM INVERTER GENERATORS

- Industrial grade 4 stroke engine
- 3 way cooling system extends engine life
- ESC controls rpm to reduce noise and fuel consumption
- Pure sine-wave power
- 3 in 1 Multi-function control
- Robust construction



PART NO.	MAX. WATTS	RATED WATTS	OUTLETS	NOISE	PRICE
TM523-1800	1800W	1600W	1x 15A	52-59 dB	\$1149.00
TM523-3300	3300W	2500W	2x 15A	52-59 dB	\$1499.00
TM523-4500	4500W	3500W	2x 15A	52-59 dB	\$1999.00
TM523-7000	7000W	6500W	2x15A & 1x30A	52-59 dB	\$4299.00
TM523-11000	11,000W	10,000W	2x15A & 1x32A	65-71 dB	\$5699.00

ITM 3200PSI, 6.5HP PETROL PRESSURE WASHER

POWERED by **HONDA**

- 6.5hp Genuine Honda GX200 engine, assembled to machine in Australia
- Max. Pressure: 3200psi (220 bar)
- Max. Flow Rate: 9.5 L/min
- Displacement: 196cc
- Fuel Tank: 3.6L
- Start Type: Recoil
- Pump type: AR Axial Pump
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap



.\$1599

PART NO.	ENGINE	PRESSURE	MAX. FLOW RATE
TM542-3200	6.5hp GX200	3200PSI	9.5L/min

ITM 4000PSI, 12HP DIESEL PRESSURE WASHER

DIESEL

- Powerful 12HP air cooled diesel engine
- Max Pressure: 4000PSI
- Flow Rate: 17 L/min
- Electric / Recoil Start
- High quality triplex pump with ceramic coated stainless steel pistons
- 15m Quick connect steel braided hose
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
- Heavy duty powder coated steel frame
- Large puncture proof solid wheels



.\$2899

PART NO.	ENGINE	MAX. PRESSURE	MAX. FLOW RATE
TM543-4000	12hp Diesel	4000PSI	17 L/min

ITM 5000PSI, 24HP PETROL PRESSURE WASHER

POWERED by **HONDA**

- Genuine Honda GX690 V-Twin Engine
- Max Pressure: 5000PSI
- Flow Rate: 25 L/min
- Large 15.2L fuel tank
- Electric Start
- Industrial triplex pump with ceramic coated stainless steel pistons
- 15m Quick connect steel braided hose
- Quick release mounting plate for optional hose reel
- Heavy duty powder coated steel frame



.\$9999

PART NO.	ENGINE	MAX. PRESSURE	MAX. FLOW RATE
TM542-5000	24hp GX690 V-Twin	5000PSI	25L/min

ITM 4200PSI, 13HP PETROL PRESSURE WASHER

POWERED by **HONDA**

- 13hp Genuine Honda GX390 engine, assembled to machine in Australia
- Max. Pressure: 4200psi (290 bar)
- Max. Flow Rate: 15.1 L/min
- Displacement: 389cc
- Fuel Tank: 6.1L
- Start Type: Recoil
- Pump type: AR Triplex Pump
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap



.\$2799

PART NO.	ENGINE	PRESSURE	MAX. FLOW RATE
TM542-4200	13hp GX390	4200PSI	15.1 L/min

ITM 3600PSI, 13HP HOT WATER PETROL PRESSURE WASHER

POWERED by **HONDA**

- Genuine Honda GX390 Engine
- Max Pressure: 3600PSI
- Flow Rate: 15 L/min
- Max Temp: 120°C
- Electric Start
- Commercial direct drive triplex pump
- Vertical dual pipe heating coils
- 33L Diesel burner fuel tank
- Heavy duty powder coated steel frame



NORMALLY \$9999


.\$8999

PART NO.	ENGINE	PRESSURE	MAX. FLOW RATE
TM545-3600H	13hp GX390	3600PSI	15 L/min

ITM 2700PSI, 13HP PETROL VEHICLE MOUNTABLE PRESSURE WASHER

POWERED by **HONDA**

- Genuine Honda GX390 Engine
- High flow triplex pump
- Max Pressure: 2700PSI
- Max Flow Rate: 25 L/min
- Belt driven design reduces RPM and vibration helping to extend pump life
- Ideal for mounting on Utes, Trucks & field service vehicles
- Hose and lance sold separately to suit installation requirements




.\$3799

PART NO.	ENGINE	MAX. PRESSURE	MAX. FLOW RATE
TM542-2700	13hp GX390	2700PSI	25L/min

ITM STAINLESS STEEL VERNIER CALIPERS

- Graduation: 1mm intervals
- Lower resolution: 0.05mm
- Hardened stainless steel
- Thumb screw locking mechanism
- Inside, outside, depth & step measurements
- Durable plastic storage case



PART NO.	LENGTH	ACCURACY	INTERNAL JAW LENGTH	EXTERNAL JAW LENGTH	RRP
TM610-015	150mm	+/- 0.03mm	17mm	40mm	\$73.00
TM610-020	200mm	+/- 0.03mm	19mm	50mm	\$99.00
TM610-030	300mm	+/- 0.04mm	20mm	60mm	\$179.00

EHOMA FORGED STEEL F CLAMPS

- Tempered & hot forged steel for rigidity
- Cold drawn profiled steel
- Controlled hardening & tempering over the whole body for high clamping force
- Nickel & chrome plated for corrosion resistance




Ehoma
Clamping Solutions By ITM®

PART NO.	SPAN	DEPTH	FORCE	NORMALLY	NOW
EC-G10CS	100mm	50mm	220KG	\$52.00	\$39.50
EC-G16CS	160mm	80mm	300KG	\$68.00	\$51.00
EC-G20CS	200mm	100mm	450KG	\$90.00	\$68.00
EC-G25CS	250mm	120mm	550KG	\$108.00	\$82.00
EC-G30CS	300mm	140mm	670KG	\$130.00	\$103.00
EC-G40CS	400mm	175mm	1000KG	\$174.00	\$134.00
EC-G60CS	600mm	175mm	1000KG	\$206.00	\$155.00
EC-G80CS	800mm	175mm	1000KG	\$254.00	\$186.00
EC-G100CS	1000mm	175mm	1000KG	\$314.00	\$228.00

ITM FABRICATED STEEL BENCH VICES, OFFSET JAW


- Extra heavy-duty
- Precision machined knurled jaws with VGroove
- Precise sliding jaw
- Large diameter screw



PART NO.	JAW WIDTH	MAX JAW OPENING	JAW DEPTH	WEIGHT	NORMALLY	NOW
TM104-100	100mm	120mm	70mm	11.2KG	\$258.00	\$217.00
TM104-125	125mm	140mm	95mm	20.3KG	\$446.00	\$405.00
TM104-150	150mm	170mm	105mm	25KG	\$488.00	\$436.00
TM104-200	200mm	265mm	135mm	60KG	\$1142.00	\$1038.00

ITM DIGITAL VERNIER CALIPERS

- Triple mode LCD screen
- Metric, imperial & fractional
- Accuracy: +/- 0.03mm
- Resolution: 0.01mm (0.0005")
- Graduation: 1mm intervals
- Hardened stainless steel
- Zero setting at any position
- Auto off feature
- Durable plastic storage case



PART NO.	MEASURING LENGTH	INTERNAL JAW LENGTH	EXTERNAL JAW LENGTH	RRP
TM610-115	150mm	16mm	40mm	\$86.00
TM610-220	200mm	19mm	50mm	\$139.00
TM610-330	300mm	22mm	60mm	\$190.00

ITM CAST IRON CHAIN PIPE VICES


- Industrial duty with hardened steel jaws and close grained cast iron body
- Offers almost unbreakable grip for irregular shapes & pipe due to flexibility of the chain



PART NO.	PIPE CAPACITY	CHAIN LENGTH	WEIGHT	NORMALLY	NOW
TM115-100	30-100mm	405mm	4KG	\$158.00	\$135.00
TM115-160	40-160mm	610mm	9KG	\$320.00	\$280.00
TM115-230	40-230mm	850mm	13KG	\$454.00	\$405.00

ITM PROFESSIONAL MECHANICS BENCH VICES, CAST IRON

- Rugged all cast iron construction
- Integrated anvil for shaping and beating
- Extra heavy-duty sliding jaw and large diameter screw
- 50 ± 5 HRC hardened carbon steel jaws



PART NO.	JAW WIDTH	MAX JAW OPENING	JAW DEPTH	WEIGHT	NORMALLY	NOW
TM100-100	100mm	115mm	55mm	10KG	\$186.00	\$165.00
TM100-125	125mm	140mm	70mm	15.5KG	\$270.00	\$239.00
TM100-150	150mm	175mm	80mm	18KG	\$322.00	\$290.00
TM100-200	200mm	200mm	100mm	31KG	\$488.00	\$436.00

ITM 500KG COMPACT ELECTRIC CHAIN HOISTS

- Compact yet Heavy Duty design
- Industrial quality, designed for professional workshop applications
- Up/Down Pendant controller with Emergency Stop switch
- Weight overload limiter for safety
- Single phase, 1300w 240V motor
- Upper and lower limit switches to prevent chain runout
- Chain length can be altered by ITM to your required length
- Tested & certified to AS 1418.2
- Test certificate & user manual supplied



NORMALLY \$1559

• \$1395 PRICE CUT

PART NO.	CAPACITY	LIFT	SPEED	WEIGHT
TM9000-00503	500kg	3m	5m/min	19kg

ITM 500KG PRO WIRE ELECTRIC HOIST

- Industrial grade motor & robust construction
- Auto stop at top and bottom
- Hooks fitted with spring safety latches
- Tested & certified to AS 1418.2
- Up/Down Pendant controller with Emergency Safety Stop
- Hook can be connected back onto the hoist to double the rated capacity. This reduces the lift height and lift speed by 50%



NORMALLY \$395

• \$349

PART NO.	CAPACITY	LIFT HEIGHT	SPEED	MOTOR
TM9008-00512	250/500kg	6m/12m	5m/10m/min	1000W

ITM G80 BLACK TEMPERED LIFTING CHAIN

- Sold per meter
- Premium-grade heat treated alloy steel
- Marked with chain grade and traceability mark
- Safety factor 4:1
- Tested and certified to AS 2321



PART NO.	W.L.L.	CHAIN SIZE	LINK LENGTH	WEIGHT PER METER	NORMALLY	NOW
TM9806-00805	0.75T	5MM	15MM	0.54KG	\$12.00	\$9.50
TM9806-01507	1.5T	7MM	21MM	1.07KG	\$18.90	\$15.00
TM9806-02008	2T	8MM	24MM	1.38KG	\$18.50	\$15.00
TM9806-02509	2.5T	9MM	27MM	1.75KG	\$21.00	\$17.00
TM9806-03210	3.2T	10MM	30MM	2.2KG	\$25.00	\$20.00
TM9806-05313	5T	13MM	39MM	3.8KG	\$44.00	\$35.00
TM9806-08016	8T	16MM	48MM	5.63KG	\$67.00	\$50.00
TM9806-12520	12.5T	20MM	60MM	8.6KG	\$115.00	\$90.00
TM9806-15022	15.3T	22MM	66MM	10.2KG	\$179.00	\$140.00
TM9806-21226	21.3T	26MM	78MM	14.87KG	\$280.00	\$220.00
TM9806-31532	32.2T	32MM	96MM	22.29KG	\$459.00	\$350.00

ITM 1 TONNE ELECTRIC CHAIN HOISTS

- Rated Capacity: 1 Tonne
- Single phase 1200W 240V motor
- Lift Speed: 6m/min
- Grade 80 7.1mm chain, single chain drop
- Dual braking system for safe, reliable operation
- Upper & lower limit switches prevent chain runout
- Tested & certified to AS 1418.2



NORMALLY \$2859

• \$2399 PRICE CUT

PART NO.	CAPACITY	STANDARD LIFT	LIFT SPEED	NET WEIGHT	NORMALLY	NOW
TM9001-01003	1T	3M	6m/min	60kg	\$2599.00	\$2249.00
TM9001-01006	1T	6M	6m/min	65kg	\$2859.00	\$2399.00

ITM 490KG BRUSHLESS WIRE HOIST 60M LIFT

- Extra powerful brushless 240V Motor with 50% duty cycle for high use applications
- Variable Speed
- Robust construction
- Dual brake system & safety auto brake in case of power loss
- 7m Length pendant controller with EStop
- Tested & certified to AS 1418.2
- Test certificate & user manual supplied
- Optional wireless remote available TM9006-BLREMOTE



NORMALLY \$1819

BRUSHLESS

PART NO.	CAPACITY	LIFT HEIGHT	SPEED	MOTOR
TM9006-BL49060	490kg	60m	5-16m/min	2800W

ITM HEAVY DUTY LOAD LIMITED CHAIN BLOCKS

- 3m Standard lift
- Colour coded to W.L.L.
- Load limited protection system
- Automatic double pawl braking system
- Hooks fitted with spring safety latches
- Tested & certified to AS 1418.2



PART NO.	W.L.L.	LIFT	CHAIN SIZE	WEIGHT	PRICE
TM9022-00503	500kg	3M	5MM	8KG	\$189.00
TM9022-01003	1000kg	3M	6MM	10.5KG	\$199.00
TM9022-02003	2000kg	3M	8MM	15.5KG	\$280.00
TM9022-03003	3000kg	3M	7.1MM	20.5KG	\$375.00
TM9022-05003	5000kg	3M	9MM	34.5KG	\$585.00

ITM ALUMINIUM MINI LEVER HOISTS

- Lightweight yet strong aluminium body
- Designed for working at height
- 1.5m standard lift
- Load limited protection system
- Automatic double pawl braking system
- Hooks fitted with spring safety latches
- Tested & certified to AS 1418.2



PART NO.	W.L.L.	LIFT	CHAIN SIZE	WEIGHT	PRICE
TM9040-00201	250kg	1.5M	4MM GRADE 80	2.4KG	\$145.00
TM9040-00501	500kg	1.5M	5MM GRADE 80	2.6KG	\$169.00

ITM CONCRETE LIFTING CLUTCHES, PANEL LIFTERS

- For lifting precast concrete elements with an embedded pin
- Easily engages under load
- Simple clutch release when lifting completed
- Tested & certified to AS 3850.1



PART NO.	W.L.L.	B.L.	WEIGHT	PRICE
TM9814-00013	1.3T	5.2T	0.89KG	\$55.00
TM9814-00025	2.5T	10T	1.3KG	\$73.00
TM9814-00050	5T	20T	3.24KG	\$169.00

ITM G70 PRE-CUT TRANSPORT CHAIN 50KG DRUMS

- Zinc Di-chromate coated
- Supplied in convenient pre-cut lengths
- Fitted with metal test tag
- Tested & certified to AS/NZS 4344



NORMALLY \$519

• \$359 PRICE CUT

PART NO.	LASHING CAPACITY	CHAIN SIZE	LENGTH	NORMALLY	NOW
TM9710-02306	2300kg	6MM	62M	\$519.00	\$359.00
TM9710-03808	3800kg	8MM	35M	\$449.00	\$299.00
TM9710-06010	6000kg	10MM	23M	\$459.00	\$299.00
TM9710-09013	9000kg	13MM	13M	\$469.00	\$299.00

ITM HEAVY DUTY LEVER BLOCKS

- 1.5m standard lift
- Colour coded to W.L.L. for safety
- Load limited protection system
- Automatic double pawl braking system
- Hooks fitted with spring safety latches
- Grade 80 chain
- Tested & certified to AS 1418.2
- Test certificate supplied



PART NO.	W.L.L.	CHAIN SIZE	COLOUR CODE	WEIGHT	PRICE
TM9042-00701	750kg	6MM	WHITE	6.3KG	\$209.00
TM9042-01501	1500kg	8MM	VIOLET	11KG	\$305.00
TM9042-03001	3000kg	10MM	YELLOW	19KG	\$429.00
TM9042-06001	6000kg	10MM	BROWN	28KG	\$719.00
TM9042-09001	9000kg	10MM	ORANGE	44KG	\$1029.00

ITM 600KG VERTICAL DRUM LIFTER

- 600kg Rated capacity
- Durable all steel construction
- Tested & certified to AS 4991
- Test certificate & user manual supplied
- Weight: 6.6kg



• \$125

PART NO.	CAPACITY	WEIGHT
TM9125-00600	600KG	6.6KG

ITM SAFETY CHAIN HOOK SETS

- For quick attachment and removal of trailer safety chains from your vehicle
- Grade 80 components tested & certified to AS 3776:2015
- Conforms to ADR62/02
- Includes 2 x hammer type connecting links & 2 x eye type sling hooks with safety latch



PART NO.	MAX. TOWING CAPACITY	SUITS CHAIN SIZE	PRICE
TM9804-2000	2000kg	8MM	\$39.00
TM9804-4000	4000kg	10MM & 13MM	\$49.00
TM9804-6300	6300kg	13MM & 16MM	\$69.00

AUTOMOTIVE LIFTING & WORKSHOP

ITM HEAVY DUTY LONG TRUCK JACKS

- Lift Range: 160mm to 560mm
- Heavy duty steel construction, designed for the professional workshop
- Extra long arm design with T-Handle for easy manoeuvrability
- Foot pedal pump for quick and easy raising
- Safety overload system
- Oversized swivel castors
- Complies with AS/NZS 2615:2016



PART NO.	W.L.L.	HEIGHT LOWERED	HEIGHT RAISED	NET WEIGHT	NORMALLY	NOW
TM828-04000	4000kg	160MM	560MM	129kg	\$1610.00	\$1395.00
TM828-08000	8000kg	160MM	560MM	152kg	\$1922.00	\$1695.00

ITM 2,000KG ALUMINIUM LOW PROFILE FLOOR JACK

- W.L.L. 2000kg
- Height Lowered: 95mm
- Height Raised: 480mm
- Lightweight industrial-grade full aluminium body, only 24.2kg
- Fast dual pump action reaches full height with less effort
- Low profile frame for easy storage
- Side mounted handles for quick positioning
- Complies with AS/NZS 2615:2016



\$599

PART NO.	W.L.L.	HEIGHT LOWERED	HEIGHT RAISED
TM827-02000A	2,000kg	95mm	480mm

ITM 2,000KG HYDRAULIC GARAGE FLOOR JACK

- W.L.L. 2000kg
- Height Lowered: 128mm
- Height Raised: 474mm
- Heavy-duty steel construction
- Heavy-duty steel wheels
- 360° rotating rear casters for easy positioning
- Ideal for the professional trade workshop
- Weight: 27.4kg
- Complies with AS/NZS 2615:2016



NORMALLY \$342

\$315

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED
TM826-02000	2,000kg	128mm	474mm

ITM HEAVY DUTY AIR/HYDRAULIC FLOOR JACKS

- Ideal for trucks, buses, agricultural & construction equipment
- Two style operation: air & hydraulic
- Heavy duty steel frame
- Long T-handle suits large overhangs
- Large wheels for easy manoeuvrability
- Self-retracting spring return
- Complies with AS/NZS 2615:2016



PART NO.	W.L.L.	HEIGHT LOWERED	HEIGHT RAISED	PRICE
TM828-22000	22,000kg	220MM	435MM	\$709.00
TM828-35000	35,000kg	250MM	495MM	\$779.00

ITM OFF-ROAD HYDRAULIC FLOOR JACKS

- Ideal for unsealed roads and outdoor work areas
- Full-length steel skid plate stops sinking in sand
- Fast dual pump action
- Solid composite off-road wheels
- 360° rotating rear casters
- Heavy-duty side handles
- Complies with AS/NZS 2615:2016



PART NO.	W.L.L.	LIFT RANGE (NO ADAPTOR)	LIFT RANGE (WITH ADAPTOR)	WEIGHT	PRICE
TM827-01500	1500KG	155-552MM	265-735MM	41KG	\$835.00
TM827-02250	2250KG	152-547MM	228-623MM	38KG	\$935.00

ITM FLOOR JACK HYDRAULIC LOW PROFILE 3,000KG

- W.L.L. 3000kg
- Height Lowered: 85mm
- Height Raised: 480mm
- Low profile design for easy access under low vehicles
- Fast dual pump action
- Heavy-duty steel construction & steel wheels
- Swivel saddle for easy positioning
- Weight: 45.2kg
- Complies with AS/NZS 2615:2016



NORMALLY \$550

\$519

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED
TM827-03000	3,000kg	85mm	480mm

ITM AIR HYDRAULIC BOTTLE JACKS

- Height Raised: 500mm
- Air or manual hydraulic operation
- Polyurethane seals last up to 10 times longer than rubber
- Billet steel base & welded construction
- Chromed & polished cylinder
- Complies with AS/NZS 2693:2007



PART NO.	W.L.L.	HEIGHT LOWERED	HEIGHT RAISED	WEIGHT	PRICE
TM824-12000	12,000kg	260mm	500mm	12.5KG	\$295.00
TM824-20000	20,000kg	260mm	500mm	17.5KG	\$355.00
TM824-30000	30,000kg	265mm	500mm	22KG	\$449.00

ITM 2,000KG ALUMINIUM JACK STANDS

- W.L.L.: 2000kg per pair
- Height Range: 268-400mm
- Ultra lightweight, only 2.25kg each
- Cast aluminium base with anodised body
- Safety pin with ball retainer design
- Multi-position sliding bar
- Complies with AS 2538:2016



NORMALLY \$238

\$209

PART NO.	W.L.L.	HEIGHT LOWERED	HEIGHT RAISED
TM820-02000A	2000kg	268mm	400mm

ITM RATCHET JACK STANDS

- Quick & easy ratcheting height adjustment
- Double locking safety feature
- Deep saddle for grip under vehicles
- Reinforced shaft & large foot base
- Complies with AS 2538:2016



PART NO.	W.L.L.	MIN. HEIGHT	MAX. HEIGHT	WEIGHT	NORMALLY	NOW
TM820-02000	2000kg	295mm	430mm	6.9kg	\$114.00	\$105.00
TM820-04000	4000kg	392mm	613mm	15.3kg	\$218.00	\$199.00
TM820-08000	8000kg	465mm	715mm	29kg	\$352.00	\$335.00

ITM 3000KG QUICK START RATCHET JACK STAND

- Sold individually
- W.L.L.: 3000kg single stand
- Height Range: 350-515mm
- Unique Quick start one-handed lift
- Quick & easy ratcheting height adjustment
- Double locking safety feature
- Deep saddle for grip under vehicles
- Reinforced shaft & large foot base
- Complies with AS 2538:2016



NORMALLY \$166

\$155

PART NO.	W.L.L.	MIN. HEIGHT	MAX. HEIGHT	WEIGHT
TM820-03000	3000kg	350mm	515mm	5.2kg

ITM HYDRAULIC BOTTLE JACKS

- Billet steel base & fully welded construction eliminates leaks
- Fully chromed & polished cylinder & piston
- High performance seals
- Complies with AS/NZS 2693:2007



PART NO.	W.L.L.	HEIGHT LOWERED	HEIGHT RAISED	WEIGHT	NORMALLY	NOW
TM822-02000	2,000kg	193mm	368mm	3.6KG	\$72.00	\$62.00
TM822-04000	4,000kg	212mm	407mm	4.7KG	\$82.00	\$72.00
TM822-06000	6,000kg	230mm	455mm	5.7KG	\$92.00	\$83.00
TM822-08000	8,000kg	228mm	458mm	5.8KG	\$114.00	\$105.00
TM822-10000	10,000kg	229mm	459mm	7.1KG	\$124.00	\$115.00
TM822-15000	15,000kg	240mm	455mm	8.6KG	\$144.00	\$135.00
TM822-20000	20,000kg	260mm	415mm	17.8KG	\$206.00	\$189.00

ITM 2,000KG FOLDING ENGINE CRANE

- W.L.L. 2000kg
- Lifting Range: 25-2240mm
- 4 Adjustable boom positions
- Foldable design for easy storage
- Ideal for workshops with minimal space
- 6 heavy-duty swivel casters for easy manoeuvring
- High quality steel frame
- Net Weight: 90kg



\$709

PART NO.	W.L.L.	LIFTING RANGE	LENGTH	NET WEIGHT
TM832-02000	2000kg	25-2240mm	1710mm	90kg

ITM 10,000KG HYDRAULIC PORTA POWER BODY REPAIR KIT

- Quality heavy duty steel construction
- Snap lock design for fast, easy assembly
- Heavy duty hydraulics for long life
- Ideal for auto body, frame repair & construction
- W.L.L.: 10,000kg
- 13 Pce accessory kit
- Net Weight: 26.5kg
- Ram Height: 380-530mm



NORMALLY \$550

\$519

PART NO.	W.L.L.	MINIMUM RAM HEIGHT
TM836-10000	10,000kg	380mm

TENG TOOLS 39 PCE 3/8” DRIVE METRIC SOCKET SET

- 3/8” FRP Soft Grip Ratchet - 45 Teeth
- 6pt Sockets 8mm to 22mm
- 6pt Deep Sockets 8mm to 19mm
- 75mm Wobble extension bar
- 150mm Extension bar
- Universal joint & 1/2”F to 3/8”M Adaptor
- Bit adaptor hex bit coupler
- Flat Bits 4mm, 5.5mm
- PH Bits PH1, PH2
- PZ Bits PZ1, PZ2
- TX Bits TX10, TX15, TX20



NORMALLY \$218
• \$139

TENGTOOLS®

PART NO.	PIECES	DRIVE
TE-T3839	39	3/8”

TENG TOOLS 21 PCE 1/2” DRIVE SOCKET SET

- 1/2” Dr. 45T FRP ratchet
- 12pt Sockets 10mm to 19mm, 21, 22, 24, 27, 30 & 32mm
- 2-1/2” & 6” extension bars
- Universal joint
- 3/8”F to 1/2”M T-bar adaptor
- Hard wearing case with clear tool layout



NORMALLY \$248
• \$189

TENGTOOLS®

PART NO.	PIECES	DRIVE
TE-T1221	21	1/2”

TENG TOOLS 95 PCE 1/4”& 1/2” DRIVE METRIC TOOL SET

- 1/4”& 1/2” FRP Soft Grip Ratchet - 45 Teeth
- 6pt 1/4” Sockets 4mm to 13mm
- 6pt 1/4” Deep Sockets 4mm to 13mm
- 6pt 1/2” Sockets 10mm to 32mm
- Combination Spanners 8mm to 17mm
- 1/4” Spinner Handle & 4x Extensions bars
- 2x Universal joints & 3/8”F to 1/2”M Adaptor



NORMALLY \$530
• \$319

TENGTOOLS®

PART NO.	PIECES	DRIVE
TE-TM095	95	1/4” & 1/2”

TENG TOOLS 68 PCE 1/2” DRIVE METRIC TOOL SET

- 1/2” FRP Soft Grip Ratchet - 45 Teeth
- 12pt Sockets 10mm to 32mm
- Combination Spanners 8 to 19mm
- 63.5mm & 150mm Extensions bar
- Universal joint & 3/8”F to 1/2”M Adaptor
- Side cutting, Combination, Long nose & Water pump pliers
- 3x Flat & 3x PH Screwdrivers



NORMALLY \$622
• \$399

TENGTOOLS®

PART NO.	PIECES	DRIVE
TE-T1268	68	1/2”

TENG TOOLS 39 PCE 3/8” DRIVE METRIC SOCKET & SPANNER SET

- 3/8” FRP Soft Grip Ratchet - 45 Teeth
- 6pt Sockets 8mm to 22mm
- 8-19mm Combination Spanners
- 150mm Extension bar
- Universal joint & 1/2”F to 3/8”M Adaptor
- Bit adaptor hex bit coupler
- Flat Bits 4mm, 5.5mm
- PH Bits PH1, PH2
- PZ Bits PZ1, PZ2



NORMALLY \$248
• \$199

TENGTOOLS®

PART NO.	PIECES	DRIVE
TE-T3840	40	3/8”

TENG TOOLS 48 PCE 3/8” DRIVE METRIC/AF TOOL SET

- 3/8” FRP Soft Grip Ratchet - 45 Teeth
- 6pt Metric Sockets 8mm to 19mm
- 6pt Imperial Sockets 7/16”to 11/16”
- Socket accessories
- Combination spanners 8mm to 19mm
- Combination Spanners 7/16”to 11/16”
- Complete range of 5 pliers
- Complete range of screwdrivers
- 8” Adjustable wrench



NORMALLY \$602
• \$429

TENGTOOLS®

PART NO.	PIECES	DRIVE
TE-T3848	48	3/8”

TENG TOOLS 127 PCE 1/4” 3/8” 1/2” DRIVE TOOL SET

- 1/4”& 3/8” FRP Soft Grip Ratchet - 45 Teeth
- 6pt 1/4” Sockets 4 to 13mm
- 6pt 1/4” Deep Sockets 6 to 13mm
- 6pt 1/4” AF Sockets 3/16” to 1/2”
- 6pt 3/8” Sockets 8 to 22mm
- 6pt 3/8” AF Sockets 5/16” to 7/8”
- 3/8” Spark plug sockets 16 & 21mm
- 12pt 1/2” Sockets 19mm to 32mm
- Adjustable Wrench Wide Jaw 250mm



NORMALLY \$582
• \$369

TENGTOOLS®

PART NO.	PIECES	DRIVE
TE-TM127	127	1/4”, 3/8” & 1/2”

TENG TOOLS 1/2” DRIVE 105 PCE HEAVY DUTY TOOL SET

- Socket Set 1/2” Drive Metric 12 point 21 Pieces
- 12 point bi-hexagon sockets for easier alignment to the fastening
- Chrome vanadium satin finish sockets
- Hard wearing case
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards



NORMALLY \$966
• \$599

TENGTOOLS®

PART NO.	PIECES	DRIVE
TE-THDV105	105	1/2”

TENG TOOLS 114 PCE 6-TRAY SET

- Unique TengTools service case with 6x TengTools TC1 modules
- 12 Pce combination spanner set 8-19mm
- 19 Pce 3/8” dr. Socket & acc set 8-22mm
- 4 Pce plier set
- 28 Pce mm/af hex & tx ball-end key set
- 49 Pce md bits & socket set



NORMALLY \$644
• \$549

TENGTOOLS®

PART NO.	PIECES	DRIVE
TE-TC-6T01	114	3/8”

TENG TOOLS 112 PCE 6-TRAY TOOL KIT

- Unique TengTools service case with 2x EVA foam sets
- 54 Pce screwdriver set
- 57 Pce spanner & socket set
- Three colour pre-cut high-density EVA foam shows where each tool belongs
- Robust moulded body with side carry handle
- 468 x 350 x 130mm




NORMALLY \$686
• \$599

TENGTOOLS®

PART NO.	PIECES	INLAY MATERIAL	DIMENSIONS
TE-TC-6TE01	112	FOAM	468 x 350 x 130mm

TENG TOOLS 18 PCE 1000V VDE 3/8” DRIVE INSULATED SOCKET SET

- 18 Pce 3/8” Dr. insulated socket set
- Approved for live working up to 1,000 volts
- Two colour insulation clearly indicates any damage
- 6pt Sockets: 6-20mm
- Includes ratchet, 3” & 6” extension bars
- Foam inlay module size 2 (FOAM2): 282 x 265 x 50mm




NORMALLY \$612
• \$499

TENGTOOLS®

PART NO.	PIECES	INSULATED	INLAY MATERIAL	DIMENSIONS
TE-TEDV3818	18	YES	FOAM	282 X 265 X 50MM

TENG TOOLS 19PCE INSULATED SOCKET & PLIERS SET EVA3

- 19 Pce insulated set approved for live working up to 1,000 volts
- 3/8” Dr. insulated ratchet, 3” & 6” extension bars
- 3/8” Dr. 6pt sockets: 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19 & 20mm
- Side cutter, combination plier, bent long nose plier & wire stripper plier
- Two colour insulation clearly indicates any damage
- TPR grip pliers for a secure, comfortable grip



NORMALLY \$716
• \$499

TENGTOOLS®

PART NO.	DRIVE	INSULATED	INLAY MATERIAL	DIMENSIONS
TE-TESKV19	3/8”	YES	FOAM	433 X 267 X 49MM

TENG TOOLS 37 PCE 6-TRAY AUTO MECHANICS SET

- Unique TengTools TC-6 carrying case
- 10 Pce 1000V VDE screwdriver set
- 14 Pce 1000V VDE 3/8” Dr. insulated socket set
- 4 Pce 1000V VDE plier set
- 9 Pce 1000V VDE torque screwdriver
- Insulated tools for live working up to 1,000 volts
- Tools laid in individual TT modules, easy to see if any tool is missing
- Case Size: 468 x 350 x 130mm



NORMALLY \$914
• \$749

TENGTOOLS®

PART NO.	PIECES	INSULATED	INLAY MATERIAL	DIMENSIONS
TE-TC-6T02	37	YES	PS	468 X 350 X 130MM

TENG TOOLS 18 PCE 1000V PLIER & SCREWDRIVER SET

- Approved for live working to 1,000V
- 2x VDE side cutters 6” & 8”
- 8” VDE combination plier
- 8” VDE long nose plier
- 7” VDE wire stripper plier
- 5x Flat screwdrivers 2.5-6.5mm
- 4x PH screwdrivers PH0-PH3
- 4x PZ screwdrivers PZ0-PZ3
- Hard wearing case with secure lock



NORMALLY \$592
• \$399

TENGTOOLS®

PART NO.	PIECES	INSULATED	INLAY MATERIAL	DIMENSIONS
TE-TV18N	18	YES	PS	466 X 258 X 103 MM

TENG TOOLS 12PCE INSULATED SPANNER SET EVA2

- 12 Pce insulated metric spanner set, 8-19mm
- Approved for live working up to 1,000 volts
- Open ends offset at 15° for easier use
- Chrome vanadium steel construction
- Held in place with three colour pre-cut high-density EVA foam



NORMALLY \$488
• \$349

TENGTOOLS®

PART NO.	PIECES	INSULATED	INLAY MATERIAL	DIMENSIONS
TE-TEDVSP12	12	YES	FOAM	282 X 265 X 50MM

TENG TOOLS 8PCE MB TPR GRIP PLIER SET - TTD-TRAY

- 8 Pce plier set in TT2 tool tray module
- TPR grip for a more secure and comfortable grip
- All the most commonly used pliers in one set
- Includes 6” & 8” heavy duty side cutters
- Includes 6” & 8” heavy duty combination / linesman pliers
- Includes 6” & 8” long nose pliers
- Includes 7” & 10” water pump pliers
- Tray Size: 282 x 265 x 50mm



NORMALLY \$374
• \$279

TENGTOOLS®

PART NO.	PIECES	HANDLE TYPE	INLAY MATERIAL	SIZE
TE-TTD441-T	8	TPR	PS	282 X 265 X 50MM

TENG TOOLS 35 PCE 1/4” DRIVE SOCKET SET 4-13MM TRAY

- 1/4” Drive 35 Pce set, 4-13mm
- Regular & deep 6pt sockets
- Chrome vanadium satin finish sockets
- Includes 72T ratchet, spinner handle, 2” & 4” extension bars, universal joint, 1/4” hex coupler & 3/8”F:1/4”M T- bar adaptor
- Hex, Flat, PH, PZ & TPX bits
- Organised in TT1 tool tray module with PS inlay
- 142 x 265 x 50mm



NORMALLY \$168
• \$109

TENGTOOLS®

PART NO.	PIECES	DRIVE	DIMENSIONS
TE-TT1435	35	1/4”	142 X 265 X 50MM

TENG TOOLS 1/2” DRIVE SOCKETS & ACCESSORIES

- 27 Pce 1/2” drive socket set, 10-24mm metric
- 1/2” Drive 72T ratchet handle
- Regular sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm 12 point
- Deep sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm 12 point
- 2-1/2” & 6” extension bars, universal joint, 3/8”F x 1/2”M T-bar adaptor



NORMALLY \$290
• \$189

TENGTOOLS®

PART NO.	PIECES	DRIVE	DIMENSIONS
TE-TED1227	27	1/2”	282 X 265 X 50MM

TENG TOOLS 95 PCE TORQUE SCREWDRIVER SET 1-5NM

- 1/4” drive 95 Pce set including ratcheting bits driver set 1-5Nm torque screwdriver with accessories, Accurate to +/- 6% for assured accuracy Organised in a foam inlay module size 2 (FOAM2) Tray size: 282 x 265 x 50mm
- 1/4” drive 95 Pce set including ratcheting bits driver set
- 1-5Nm torque screwdriver with



NORMALLY \$414
• \$299

TENGTOOLS®

PART NO.	PIECES	DRIVE	DIMENSIONS
TE-TEDSD14	95	1/4”	282 X 265 X 50MM

TENG TOOLS 17 PCE 6-22MM COMBINATION SPANNER SET

- 17 Pce metric set:
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22mm
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Supplied in a handy tool roll style



NORMALLY \$280
• \$199

TENGTOOLS®

PART NO.	SPANNER TYPE	RATCHETING	MEASURING SYSTEM
TE-6517MM	Regular	No	Metric

TENG TOOLS 17 PCE 1/2” DRIVE SOCKET SET 10-24MM

- 17 Pce 1/2” Drive socket set, 10-24mm metric
- 12pt bi-hexagon regular sockets
- Chrome vanadium sockets with satin finish
- Includes 72T ratchet handle, 2-1/2” & 6” extension bars, universal joint & 3/8”F:1/2”M T-bar adaptor
- Organised in a TT1 tool tray module with PS inlay
- Tray size: 142 x 265 x 50mm



NORMALLY \$228
• \$149

TENGTOOLS®

PART NO.	PIECES	DRIVE	DIMENSIONS
TE-TT1218	17	1/2”	142 X 265 X 50MM

TENG TOOLS 47 PCE 1/4” & 3/8” DRIVE BIT SOCKET SET

- 47 Pce 1/4” & 3/8” Dr. bit socket set
- Includes PH, PZ, slotted, HEX & TX bit sockets, metric & imperial
- Chrome vanadium sockets with satin finish
- Includes 1/4”F x 3/8”M adaptor, 3/8”F x 1/4”M T-bar adaptor & 3/8” Dr. 3” extension bar



NORMALLY \$352
• \$249

TENGTOOLS®

PART NO.	PIECES	DRIVE	DIMENSIONS
TE-TEDBS47	47	1/4” & 3/8”	282 X 265 X 50MM

TENG TOOLS 12 PCE COMBINATION SPANNER SET 8-19MM

- 12 Pce metric combination spanner set, 8-19mm
- Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm
- Offset at 15° for easier use on flat surfaces
- Hip grip design contacts the flat side of the fastening
- Chrome vanadium satin finish



NORMALLY \$158
• \$89

TENGTOOLS®

PART NO.	PIECES	DIMENSIONS
TE-TT1236	12	142 X 265 X 50MM

TENG TOOLS 12 PCE 20-32MM COMBINATION SPANNER SET

- 12 Pce metric combination spanner set
- Sizes: 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 & 33mm
- Off set at 15° for easier use on flat surfaces
- Hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed & manufactured to DIN3113A



NORMALLY \$374
• \$299

TENGTOOLS®

PART NO.	DESCRIPTION
TE-6512MM	12 PCE 20-32MM COMBINATION SPANNER SET

TENG TOOLS 15 PCE 1” DRIVE METRIC SOCKET SET

- 15 Pce 1” drive metric socket set
- 12 Pt Sockets: 36, 41, 46, 50, 55, 60, 65, 70 & 75mm plus 80mm
- Chrome vanadium satin finish
- Includes 24T quick release ratchet head, T-bar adaptor, 560mm (22”) power extension bar, 8” & 16” extension bars
- Supplied in a metal carrying case



NORMALLY \$1288
• \$799

TENGTOOLS®

PART NO.	DRIVE	SOCKETS
TE-M1115MM	1”	REGULAR, 12-POINT

TENG TOOLS 1/2” DRIVE METRIC IMPACT SOCKET SETS

- Includes 2 Pce retaining rings & 2 Pce retaining pins
- Chrome molybdenum (CR-MO)
- Supplied in a robust blow moulded box



TENGTOOLS®

PART NO.	PIECES	DRIVE	TYPE	SIZES	NORMALLY	NOW
TE-T9222	22PCE	1/2”	REGULAR	10-32MM	\$270.00	\$199.00
TE-T9222L	22PCE	1/2”	DEEP	10-32MM	\$426.00	\$279.00
TE-T9240	40PCE	1/2”	REGULAR & DEEP	10-32MM	\$674.00	\$449.00

TENG TOOLS 16 PCE 1/2” DRIVE IMPACT SOCKET SET

- 1/2” Drive, 6-point, metric
- Regular impact sockets 13, 15, 16, 17, 18, 19, 22, 24mm
- Deep impact sockets 13, 15, 16, 17, 18, 19, 22, 24mm
- ANSI design for use with power tools, with ball bearing socket retainer
- Chrome molybdenum (CR-MO)
- Organised in a PS inlay tool tray module size 1 (TT1)
- Tray size: 142 x 265 x 50mm



NORMALLY \$238
• \$129

TENGTOOLS®

PART NO.	PIECES	DRIVE	TYPE	SIZES
TE-TT9116N	16	1/2”	REGULAR & DEEP	13-24MM

M7 8 PCE 3/4” DRIVE DEEP IMPACT SOCKET SET

- 3/4” Drive deep impact sockets, metric
- 8 Pce sizes 26, 27, 29, 30, 32, 33, 35, 36mm
- Deep design reaches recessed & stud-mounted fasteners
- Supplied in a blow mould case



NORMALLY \$368
• \$199

PART NO.	PIECES	DRIVE	TYPE	SIZES
M7-MB65008M	8PCE	3/4”	DEEP	26-36MM

TENG TOOLS 7 PCE 1/2” DRIVE IMPACT ACCESSORY SET

- 7 Pce 1/2” Dr. impact accessory set
- Includes 3”, 5” & 10” extension bars, universal joint, 1/2”F x 3/8”M, 1/2”F x 3/4”M & 3/8”F x 1/2”M adaptors
- Retaining pins & rings supplied
- Organised in a TT1 tool tray module, 142 x 265 x 50mm



NORMALLY \$182
• \$119

TENGTOOLS®

PART NO.	PIECES	DRIVE	DIMENSIONS
TE-TT9207	7	1/2”	142 X 265 X 50MM

TENG TOOLS 17 PCE 3/4” DRIVE METRIC IMPACT SOCKET SETS

- Retaining pin & ring included
- Supplied in a robust blow moulded box



TENGTOOLS®

PART NO.	PIECES	DRIVE	TYPE	SIZES	NORMALLY	NOW
TE-T9417	17	3/4”	REGULAR	19-50MM	\$498.00	\$339.00
TE-T9417L	17	3/4”	DEEP	19-50MM	\$716.00	\$449.00

TENG TOOLS 21PCE 1/2” DRIVE SOCKET & ACCESSORY SET

- 21 Pce 1/2” Dr. metric impact socket set
- Regular sockets: 13, 15, 16, 17, 18, 19, 22, 24mm
- Deep sockets: 13, 15, 16, 17, 18, 19, 22, 24mm
- 3” & 10” extension bars, universal joint



NORMALLY \$342
• \$249

TENGTOOLS®

PART NO.	PIECES	DRIVE	TYPE	SIZES
TE-TED9121	21	1/2”	REGULAR & DEEP	13-24MM

TENG TOOLS 33 PCE 3/4” DRIVE IMPACT SOCKET SET EVA

- 33 Pce 3/4” Dr. impact socket set
- 16 Pce regular impact sockets: 19-46mm
- 14 Pce deep impact sockets: 19-46mm
- 6-point DIN design for use with a retaining pin & ring



NORMALLY \$1278
• \$799

TENGTOOLS®

PART NO.	PIECES	DRIVE	TYPE	SIZES
TE-TTEISK33	33	3/4”	REGULAR & DEEP	19-46MM

TENG TOOLS IQ PLUS TORQUE WRENCHES

- Locking button maintains the set torque
- Compact head for confined spaces
- Click type 72 teeth ratchet mechanism giving 5° increments
- Twist reverse & socket quick-release
- Accurate to +/- 4% and conforms to ISO6789
- Individual certification number



TENGTOOLS®

PART NO.	DRIVE	RANGE	ACCURACY	LENGTH	NORMALLY	PRICE
TE-3892P060	3/8"	12-60 Nm	± 4%	380mm	\$352.00	\$189.00
TE-3892P100	3/8"	20-100 Nm	± 4%	410mm	\$362.00	\$189.00
TE-1292P200	1/2"	40-200 Nm	± 4%	490mm	\$384.00	\$199.00

M7 DIGITAL TORQUE WRENCHES

- L.C.D. display
- Buzzer vibration and flash alarm
- Non slip handle



PART NO.	DRIVE	TORQUE RANGE	LENGTH	NORMALLY	PRICE
M7-GMS203006	1/4"	0.3 - 6Nm	244mm	\$602.00	\$395.00
M7-GTW306135	3/8"	6.8 - 135Nm	434mm	\$565.00	\$395.00
M7-GTA417340	1/2"	17 - 340Nm	666mm	\$800.00	\$549.00

TENG TOOLS OFFROAD TOOLBOX

- Only off-road box on the market designed to work with the Teng Modular Tool Tray system
- Heavy steel construction with waterproof design & waterproof seals
- Tough, grey hammertone paint finish
- Bi-fold lid with 2 gas struts
- 45mm ball-bearing drawer slides
- 5x drawers 570 x 380 x 45mm
- 1x drawer 570 x 380 x 70mm



TENGTOOLS®

PART NO.	OVERALL WIDTH	OVERALL DEPTH
TE-TC8060RG	816mm	520mm

TENG TOOLS 259 PCE OFFROAD TOOL KIT

- Comprehensive kit with very large size sockets & spanners for heavy vehicles
- Full EVA tool storage for every tool
- 67Pce metric socket & accessory tray, 1/4", 3/8" & 1/2" Drive, 4mm to 32mm
- 31Pce metric combination spanner tray, 5.5mm to 38mm
- 17Pce Power Grip pliers tray & 17Pce torque wrench, hex key & inspection tray
- 115Pce mixed driver & bits tray, 12Pce general tool set, 1 spare drawer



TENGTOOLS®

PART NO.	OVERALL WIDTH	OVERALL DEPTH
TE-TKORG259	816mm	520mm

TENG TOOLS 1/2" DRIVE TORQUE WRENCH 40-210NM / 30-150FT/LB L/R

- 40-210Nm / 30-150ft-lb torque range
- Click type mechanism signals set torque
- Bidirectional for right & left hand fasteners
- Twist locking facility maintains set torque
- Reversible 24 teeth ratchet (DIN3122) giving 15° increments
- Accurate to +/- 4%, conforms to ISO6789
- Individual certification number



TENGTOOLS®

NORMALLY \$238

• \$149

PART NO.	DRIVE	RANGE	ACCURACY	LENGTH
TE-1292AG-ER	1/2"	40-210 Nm	± 4%	465mm

TENG TOOLS 2 PIECE 1/4" TORQUE SET 1-25 NM

- 1/4" Dr. torque wrench, 5-25Nm
- 1/4" Dr. torque screwdriver, 1-5Nm
- Each torque tool supplied with its own individual certification number
- Conforms to ISO6789 for assured accuracy
- Three colour pre-cut high-density EVA foam clearly shows where each tool belongs
- Foam inlay module size X2 (FOAMX2)
- 285 x 115 x 47mm



TENGTOOLS®

PART NO.	DRIVE	DIMENSIONS
TE-TEZSD02	1/4"	285 X 115 X 47MM

TENG TOOLS 115 PCE OFFROAD STARTER KIT

- Comprehensive starter kit
- 67Pce metric socket & accessory tray with 1/4", 3/8" & 1/2" Drive, including 4mm to 32mm sockets
- 33Pce screwdriver, spanner & hex key tray, with 8-19mm spanners, Phillips, Flat, TX & TPX screwdrivers
- 15Pce general tool set tray with hack saw, measuring tape, parallel pin punches & a range of TPR grip pliers



TENGTOOLS®

PART NO.	OVERALL WIDTH	OVERALL DEPTH
TE-TKORG115	816mm	520mm

TENG TOOLS 309 PCE OFFROAD MM/AF TOOL KIT

- Metric & Imperial kit with very large sockets & spanners for heavy vehicles
- 62Pce Imperial socket & spanner set, 7/32" up to 1-1/4"
- 67Pce metric socket & accessory tray, 1/4", 3/8" & 1/2" Drive, 4mm to 32mm
- 31Pce metric spanner tray 5.5mm to 38mm
- 17Pce Power Grip pliers tray & 17Pce torque wrench, hex key & inspection tray
- 115Pce mixed driver & bits tray



TENGTOOLS®

PART NO.	OVERALL WIDTH	OVERALL DEPTH
TE-TKORG309	816mm	520mm

M7 230PSI TRUCK TYRE INFLATOR

- Heavy industrial metal body
- Max. Pressure: 230psi (16 bar)
- 89mm round gauge for clear, easy reading
- Tyre valve clip-on nozzle for hands-free inflation
- 1/4" x 1000mm hose reaches dual truck wheels
- Air Inlet: 1/4"
- Net Weight: 1.14kg



PRICE CUT

PART NO.	MAX. PRESSURE	HOSE
M7-SB710	230psi	1/4" x 1000mm

M7 EVA TRAY IMPACT & TORQUE KIT

- 1/2" Drive 1200 ft-lb Impact wrench NC4255QH
- 1/2" Torque wrench 42-210Nm
- 250mm Blow gun (M7-JC310)
- 75mm & 125mm Extension bars & Universal joint
- 10mm to 32mm 1/2" Impact socket set
- AVAILABLE WHILE STOCKS LAST



PRICE CUT

PART NO.	DRIVE	MAX. TORQUE	WEIGHT
M7-NC4255Q-41KIT	1/2"	1200FT-LB	1.7KG

M7 COMPACT AIR NEEDLE SCALER

- Stroke Length: 32mm
- Blows Per Minute: 5500BPM
- Air Requirements: 3 CFM / 90 PSI
- Inlet: 1/4"
- Net Weight: 1.3kg
- Sound Pressure: 86 dBA
- Vibration Level: 7.67m/s²



NORMALLY \$339

• \$319

PART NO.	OVERALL LENGTH	NEEDLE SIZE
M7-SN1288	290mm	3mm x 123mm (12 per set)

M7 AIR HAMMER SET

- 7 piece set including 5 chisels
- Shank Type: Round
- Blows Per Minute: 3200BPM
- Air Requirements: 4 CFM / 90 PSI
- Inlet: 1/4"
- Net Weight: 1.7kg
- Vibration Level: 12.3m/s²



• \$259

PART NO.	SHANK SIZE	OVERALL LENGTH
M7-SC0517C	10.2mm (0.401")	175mm

M7 1/2" DRIVE AIR IMPACT WRENCH

- 800 ft-lb Max Torque at 5 seconds
- Magnesium alloy & composite construction
- Extremely powerful & very lightweight
- Powerful twin hammer mechanism
- Overall Length: 194mm
- Net Weight: 2.1kg



PRICE CUT

PART NO.	DRIVE	MAX. TORQUE	WEIGHT
M7-NC4299Q	1/2"	800FT-LB	2.1KG

M7 3/4" DRIVE IMPACT WRENCH KIT

- 3/4" Drive 1400 ft-lb Impact wrench NC6255Q
- Magnesium alloy & composite material construction.
- Extremely powerful & very lightweight
- Twin hammer type clutch
- 24, 27, 30, 32, 33, 34, 36mm Impact Sockets
- 175mm Extension bar
- AVAILABLE WHILE STOCKS LAST



PRICE CUT

PART NO.	DRIVE	MAX. TORQUE	WEIGHT
M7-NC6255Q-KIT	3/4"	1400FT-LB	1.9KG

M7 ULTRA COMPACT AIR NEEDLE SCALER

- Low Vibration, just 1.5 m/s²
- Compact & Ultra-Lightweight, 250mm length & Weighs only 0.65 kg
- Fast & Efficient Surface Cleaning delivers 6,000 impacts per minute
- Stroke Length: 32mm
- 12x 2.0 mm hardened needles
- Weight: 1.3kg



NORMALLY \$339

• \$319

PART NO.	OVERALL LENGTH	NEEDLE SIZE
M7-SN1350	250mm	2mm x 100mm (12 per set)

M7 ANGLE HEAD AIR DIE GRINDER

- 90° Angle head
- 1/4" & 1/8" Collets
- Safety lever throttle
- Free Speed: 19000 RPM
- Overall Length: 160mm
- Air Requirements: 10 CFM / 90 PSI
- Rated Power: 0.3HP
- Net Weight: 0.51kg



NORMALLY \$259

• \$239

PART NO.	COLLET SIZE	OVERALL LENGTH
M7-QA611B	1/4" & 1/8"	160mm



WIHA ELECTRICAL TOOLS



WIHA LIFTUP SCREWDRIVER, 6-BITS VDE 1000V

- Unique spring loaded pop-up magazine cartridge
- Clearly arranged and very easy to remove
- SlimBits allow access to low-lying screws thanks to inserted insulation
- VDE 1000V insulated



PART NO.	INCLUDES	RRP
WH-38612	Slotted 2.5, 3.0, 4.0, 5.5mm, PH1, PH2	\$155.00
WH-38613	Slotted 3.0, 4.0, 5.5mm, PH1, PH2, SL/PZ2	\$155.00

WIHA 4 PIECE FINE SCREWDRIVER SET VDE 1000V INSULATED


- Ideal for delicate and high-precision tasks in the electrical sector as well as for hobbyists and model building
- Ergonomic handle design with a soft zone
- Smooth-running rotating cap
- VDE 1000V insulated



PART NO.	INCLUDES
WH-44847	Slotted 2.5, 3.0mm, PH00, PH0

WIHA 6 PIECE SCREWDRIVER SET SLOTTED & PHILLIPS VDE 1000V

- Slotted 3mm, 4mm, 5.5mm & 6.5mm
- Phillips PH1 & PH2
- Ergonomically shaped SoftFinish® handle is designed to maximise hand-force transmission, improving control and reducing user fatigue.
- VDE 1000V insulated



PART NO.	INCLUDES
WH-00833	Slotted 3.0, 4.0, 5.5, 6.5mm, PH1, PH2

WIHA POCKETMAX® SCREWDRIVER WITH 4-BITS 1000V

- Bits cartridge is magnetically attached, simply pull to open
- Fits easily in your pocket
- SlimBits allow access to low-lying screws thanks to inserted insulation
- Quick rotation cap
- VDE 1000V insulated
- Includes: Slotted 3.5MM, PH1, PH2, SL/PZ2



PART NO.	INCLUDES
WH-45296	Slotted 3.5MM, PH1, PH2, SL/PZ2

WIHA 12 PIECE SLIMFIX SCREWDRIVER SET VDE 1000V

- SlimFix shaft design with inserted insulation allows access to low-lying screws & protects the insulation from being damaged and worn.
- Ergonomic SoftFinish® handle ensures optimal transmission of hand force
- VDE 1000V insulated



PART NO.	INCLUDES
WH-41003	Slotted 3.5, 4.0, 5.5mm, PH1, PH2, PZ1, PZ2, SL/PZ2 , TX15, TX20, TX25

WIHA 9 PIECE ERGOSTAR HEXAGONAL BALL MAGICRING

- MagicRing® holding feature (from size 3) with its spring steel ring, holds all standard hex screws firmly in any position perfectly without any magnets
- Ideal for tightening or loosening all hex screws in hard-to-reach places, removing standard countersunk screws and inserting and screwing into horizontal, inclined or deep tapped blind holes.
- The hexagonal ball end allows effortless screwing at an angle of up to 25°
- Individual replacement keys also available



PART NO.	INCLUDES	NORMALLY	NOW
WH-43851	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10mm hex keys	\$94.00	\$83.00
WH-43850	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10mm hex keys	\$154.00	\$145.00

WIHA ELECTRIC CABLE CUTTERS

- One-handed and effortless cutting thanks to the 2-stage ratchet principle
- Cancel manually by emergency unlocking
- Space-saving and safe transport thanks to locking lever
- Kind to hands and muscles
- VDE 1000V insulated



PART NO.	MAX. CABLE DIAMETER	OVERALL LENGTH	CROSS-SECTIONAL AREA	NORMALLY	NOW
WH-46674	34MM	275MM	300MM²	\$560.00	\$519.00
WH-46675	62MM	300MM	500MM²	\$706.00	\$675.00

WIHA 200MM NEEDLE NOSE PLIERS STRAIGHT, VDE 1000V INSULATED

- Includes 220mm Linesman Pliers & 200mm Side Cutters
- Highest standard tempered C70 tool steel
- Special DynamicJoint® design reduces effort required for cutting
- VDE 1000V insulated



PART NO.	INCLUDES
WH-41926	220mm Linesman Pliers & 200mm Side Cutters

WIHA 220MM 1000V INSULATED CROSS CUT PLIERS

- 220mm cross cut pliers
- VDE 1000V insulated
- DynamicJoint for reduced effort
- Head drop forged from high quality steel
- Ergonomic slim handles with soft & hard zones
- VDE 1000V insulated



PART NO.	DESCRIPTION
WH-44377	WIHA 220MM 1000V INSULATED CROSS CUT PLIERS

WIHA NON-CONTACT VOLTAGE DETECTOR 90-1000V

- Voltage: 90 - 1,000V AC
- Cat IV, 1,000V rated
- Contactless one-handed test
- Green LED shows ready for use
- Red LED, clearly seen in daylight
- Push-on pocket clip
- Includes 2 x AAA batteries



PART NO.	DESCRIPTION
WH-43798	WIHA NON-CONTACT VOLTAGE DETECTOR 90-1000V

WIHA 200MM (8") STRAIGHT BLADE CABLE STRIPPING KNIFE, VDE 1000V INSULATED

- Straight-shaped Fixed Blade
- Protective Cap for Safe Transport
- Cushion Non-Slip Soft Grip
- Sliding Shoe
- VDE 1000V insulated



PART NO.	DESCRIPTION
WH-38798	200MM (8") STRAIGHT BLADE CABLE STRIPPING KNIFE, VDE 1000V INSULATED

WIHA 225MM INDUSTRIAL ELECTRICIANS COMBINATION PLIERS, VDE 1000V INSULATED

- The ergonomically shaped plier handle ensures comfortable, fatigue-proof work
- Up to 40% greater cutting force
- OptiGrip head with 'triple-point support' ensures optimal hold of the workpiece while working
- 225mm, 9" Overall Length
- VDE 1000V insulated
- Powerful DynamicJoint, ensures optimal transfer of hand force



PART NO.	MEDIUM WIRE	HARD WIRE	HARDENED STEEL
WH-38856	4.4mm	3mm	2.5mm

WIHA 200MM HEAVY-DUTY BICUT SWITCHABLE DIAGONAL SIDE CUTTERS, VDE 1000V INSULATED

- Power-assisted all-round diagonal cutter
- Suitable for cutting different materials, ranging from soft to extremely hard, such as cables, nails, screws, bolts, wire rope, spring wire and chains.
- Offers you full protection, individually tested at 10,000 V AC and approved for 1,000 V AC



PART NO.	DESCRIPTION
WH-38984	200MM HEAVY-DUTY BICUT SWITCHABLE DIAGONAL SIDE CUTTERS, VDE 1000V INSULATED

WIHA FOLDING RULER, 2M METRIC, 10 SEGMENTS

- 2m length
- Folds in to 10 segments
- To measure and mark distances for flush boxes and standard screws independently of pulling cables during electrical installation work
- Integrated cable feeder aid
- Distance marking for up to 3 flush boxes
- Easy to find in the dark with UV light
- High flexibility
- Dimensions: 235 x 32 x 15 mm



PART NO.	PRODUCT DIMENSIONS	WIDTH OF SEGMENTS	COLOUR
WH-42068	235 x 32 x 15 mm (LxWxD)	15mm	ORANGE

HOLEMAKER MAGNETIC BASE DRILLS

HOLEMAKER PRO 35 18V CORDLESS MAGNETIC BASE DRILL

PRICE CUT

- Includes Metabo 4Ah Lithium ion battery & Charger
- Includes 14, 18, 22mm cutters & pin
- Cordless, Compact & lightweight European Made Machine
- Very lightweight, only 11kg
- 18V Brushless motor technology
- Ideal for onsite & overhead tasks
- Unique dual rail slide system increases machine rigidity and improves cutter life



NORMALLY \$2899
.**\$2495**

Holemaker
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. X DEPTH	WEIGHT
HMPRO35-18VK1	35 x 52mm	11kg

HOLEMAKER PRO 42 MAGNETIC BASE DRILL

- Durable & Versatile European Made Machine
- Light-weight, only 12.5kg
- Large 165mm stroke
- Capacity (diameter) 42mm
- Capacity (depth) 52mm
- Gravity feed coolant system with magnetically attached bottle
- Optional twist drill chuck
- Plastic carry case



.**\$2049**

Holemaker
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. X DEPTH	WEIGHT
HMPRO42	42 x 52mm	12.5kg

HOLEMAKER PRO 52-MT2 MAGNETIC BASE DRILL

- Versatile & Multi-Purpose, European Made Machine
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc. as well as annular cutters
- 2-speed gearbox
- Capacity (diameter) 52mm
- Capacity (depth) 52mm
- Light-weight, only 16.5kg
- Plastic carry case



.**\$3099**

Holemaker
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. X DEPTH	WEIGHT
HMPRO52-MT2	52 x 52mm	16.5kg

HOLEMAKER PRO 35 MAGNETIC BASE DRILL

- Quality, Compact & Robust
- European Made Machine
- Lightweight, only 10kg
- Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm
- Capacity (depth) 52mm
- Unique dual rail slide system increases machine rigidity and improves cutter life
- Gravity feed coolant system with magnetically attached bottleVCC



.**\$1299**

Holemaker
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. X DEPTH	WEIGHT
HMPRO35	35 x 52mm	10kg

HOLEMAKER PRO 40AD MAGNETIC BASE DRILL

- European made
- Ultra low profile
- 185mm constant working height
- Light-weight, only 10kg
- Capacity (diameter) 40mm
- Capacity (depth) 40mm
- Utilises standard
- 3/4" shank cutters
- Ratchet feed handle system which can be used on either side of the machine
- Plastic carry case



.**\$2899**

Holemaker
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. X DEPTH	WEIGHT
HMPRO40AD	40 x 40mm	10kg

HOLEMAKER PRO 65 MAGNETIC BASE DRILL

- A Steel Fabricators Work-Horse, designed just for use with Annular Cutters
- Dual Rail slide system provides extremely good cutter life by minimising movement
- 2-speed gearbox
- Capacity (diameter) 65mm
- Capacity (depth) 75mm
- Powerful 1500W motor
- Lightweight, only 17kg
- Plastic case



.**\$3199**

Holemaker
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. X DEPTH	WEIGHT
HMPRO65	65 x 75mm	17kg

HOLEMAKER MAGSLOT 20X MILLING MAGNETIC DRILL

- Horizontal single-axis feed, allowing 90mm of milling travel per operation
- Patented slide rails to ensure steady cut
- Accepts end mills between M3-M20
- Adaptor for annular cutters up to 40mm diameter
- Weight: 20 Kg
- 1100W Motor



.**\$9450**

Holemaker
Drilling Solutions By **ITM**

PART NO.	MAXIMUM END MILL	SLOT TRAVEL	WEIGHT
HMMS-20X	20MM	90MM	20KG

HOLEMAKER PRO 100 MAGNETIC BASE DRILL

- #3 Morse taper spindle
- European made
- 4-speed gearbox
- Large 190mm stroke
- Capacity (diameter) 100mm
- Capacity (depth) 110mm
- Powerful 1600W motor
- Lightweight, only 24kg
- Plastic carry case



.**\$5599**

Holemaker
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. X DEPTH	WEIGHT
HMPRO100	100 x 110mm	24kg

HOLEMAKER SPECIAL 140 MAGNETIC BASE DRILL

- #4 Morse taper spindle
- European made
- Capacity (diameter) 150mm
- Capacity (depth) 110mm
- 47mm #4MT drill bit capacity
- M42 Tapping capacity
- 4-speed variable reversing
- Powerful 2150W Italian motor
- Electronic clutch
- Overload and overheat protection
- Tilt sensor
- 360-degree visual monitoring system
- Intuitive top mount control panel
- Very light-weight 31kg



.**\$7449**

Holemaker
Drilling Solutions By **ITM**

PART NO.	CAPACITY (DIAMETER)	CAPACITY (DEPTH)	WEIGHT
HMSPECIAL140	150mm	110mm	31kg

HOLEMAKER AIR 50 PNEUMATIC MAGNETIC BASE DRILL

- ATEX II certified
- Pneumatic motor, no electrical power required
- No. 2 Morse taper spindle
- 2-speed gearbox 190 / 290rpm
- Capacity (diameter) 50mm
- Capacity (depth) 50mm
- Twist drill capacity up to 23mm
- Strong permanent magnetic base
- V-shaped magnetic base for pipe drilling above 250mm
- Compact and lightweight design
- Suitable for hazardous environments



NORMALLY \$16275
.**\$14995**

Holemaker
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. X DEPTH	WEIGHT
HMP50-ATEX	50 x 50mm	24.5kg

HOLEMAKER SPECIAL 110 MAGNETIC BASE DRILL

- #3 Morse taper spindle
- European made
- Capacity (diameter) 120mm
- Capacity (depth) 110mm
- 32mm #3MT drill bit capacity
- M30 Tapping capacity
- 4-speed variable & reversing
- Powerful 2150W Italian motor
- Electronic clutch
- Overload and overheat protection
- Tilt sensor
- 360-degree visual monitoring system
- Intuitive top mount control panel
- Very light-weight 25kg



.**\$6449**

Holemaker
Drilling Solutions By **ITM**

PART NO.	CAPACITY DIA. X DEPTH	WEIGHT
HMSPECIAL110	120 x 110mm	25kg

HOLEMAKER GOLD SERIES ANNULAR CUTTERS

- Available in sizes 12 - 60mm diameter
- Available in 25, 50 & 75mm depth of cut
- Titanium nitride coating
- Universal shank
- M2AL high speed steel material
- Multi-cut geometry
- Holemaker TCT Cutters up to 200mm Diameter and 200mm Depth



25mm DEPTH

FROM
.**\$69**

PART NO.	DIAMETER	PRICE
AT1225	12mm	\$69.00
AT1425	14mm	\$69.00
AT1625	16mm	\$75.00
AT1825	18mm	\$77.00
AT2025	20mm	\$83.00
AT2225	22mm	\$94.00
AT2425	24mm	\$103.00

50mm DEPTH

FROM
.**\$87**

PART NO.	DIAMETER	PRICE
AT1250	12mm	\$87.00
AT1450	14mm	\$87.00
AT1650	16mm	\$91.00
AT1850	18mm	\$96.00
AT2050	20mm	\$108.00
AT2250	22mm	\$119.00
AT2450	24mm	\$130.00

ITM S14 350MM T.C.T SAWS

- Saves time & money giving cool cuts that need little to no finishing, eliminating any need for grinding or cool down time
- Maximum material dimensions: 90°: 120 x 120mm 45°: 120 x 90mm
- Fully enclosed retractable guard increases user safety
- Heavy-duty vice: 90° - 45°
- Pipe vice attachment
- 3hp Single Phase (240V) motor
- Single Speed 1450rpm
- Weight: 29kg



PART NO.	INCLUDES	NORMALLY	NOW
S14	66T MILD STEEL T.C.T BLADE	\$966.00	\$935.00
S14-PROKIT	110T CERMET BLADE & 66T MILD STEEL T.C.T BLADE	\$1142.00	\$1095.00

ITM 300MM X 180MM CAPACITY BANDSAW

- Horizontal and vertical saw
- Swivel vice, 0° to 45°
- Hydraulic downfeed
- Incorporated recirculating coolant system
- Non-voltage return ON/OFF switch and emergency stop switch
- Bed Height: 572mm
- CUTTING CAPACITY: Rectangular 90°: 300 x 180mm Square 90°: 180 x 180mm Square 45°: 110 x 110mm
- Weight: 130kg
- Made in Taiwan
- Blade Size 19mm x 0.9mm x 2360mm



• \$2259

PART NO.	MOTOR	BLADE SPEED
UE712A	1.0HP SINGLE PHASE (240V)	4 SPEED 22 / 33 / 45 / 65MPM

MACC 400MM X 330MM SEMI-AUTOMATIC BANDSAW

- Semi-automatic machine
- 2 way swivel head 0° to 60°
- Dual direction heavy-duty vice
- Recirculating coolant system
- 2.95hp Three Phase (415V)
- Variable Speed 22-73 mpm
- Blade Size: 34mm x 1.1mm x 4270mm
- Italian made quality
- CUTTING CAPACITY: Rectangular 90°: 400 x 330mm Square 90°: 330 x 330mm Square 45° (R): 280 x 280mm



• \$25899

PART NO.	MOTOR	BLADE SPEED
MB-415DI-3	2.95hp Three Phase (415V)	Variable 22-73 mpm

MACC 350MM METAL CUTTING COLDSAWS

- Italian made quality
- 2 speed 20 / 40rpm blade speed
- Swivel head 45° left & right
- 350mm blade
- 3.2hp three phase (415V) motor
- Recirculating coolant system with electric pump
- Complete with blade
- Weight: 210kg



PART NO.	VICE	MAX. RECTANGLE 90°	MAX. ROUND 90°	WEIGHT	PRICE
MC-NEW350E-3	SINGLE	155 X 80MM	110MM	204KG	\$6809.00
MC-NEW350EDV-3	DOUBLE	120 X 80MM	110MM	210KG	\$7569.00

ITM 220MM X 220MM CAPACITY SWIVEL HEAD BANDSAWS

- Swivel head 0° to 60°
- Dual mode operation
 - Manual trigger switch, or
 - Control panel with hydraulic downfeed
- Industrial quality made in Taiwan
- Recirculating coolant system
- Blade Size: 27mm x 0.9mm x 2460mm
- Bed Height: 840mm
- Weight: 216kg
- CUTTING CAPACITY: Rectangular 90°: 260 x 110mm Square 90°: 215 x 215mm Square 45°: 45 x 145mm



PART NO.	MOTOR	BLADE SPEED	PRICE
WP270SH-1	1.5hp Single Phase (240V)	Single Speed 72 mpm	\$4149.00
WP270SH-3	1.5hp Three Phase (415V)	2 Speed 36 / 72 mpm	\$4149.00

MACC 620MM X 450MM SEMI-AUTOMATIC BANDSAW

- Semi-automatic machine
- 2 way swivel head 0° to 60°
- Dual direction heavy-duty vice
- Recirculating coolant system
- 2.95hp Three Phase (415V)
- Variable Speed 23-95 mpm
- Blade Size: 34mm x 1.1mm x 5270mm
- Italian made quality
- CUTTING CAPACITY: Rectangular 90°: 620 x 450mm Square 90°: 450 x 450mm Square 45° (R): 410 x 410mm




• \$35299

PART NO.	MOTOR	BLADE SPEED
MB-650DI-3	2.95HP THREE PHASE (415V)	VARIABLE 23 - 95MPM

ITM CERMET CARBIDE METAL CUTTING BLADES

- 355mm (14") Blade Diameter
- Premium Cermet Carbide cutting tips
- Cool cuts needing little to no finishing
- Cuts angle, plate, square tube, pipe, rebar & C-channel steels



PART NO.	SUITED FOR	TEETH	BORE	PRICE
SSBL350-CERMET64	MILD STEEL	64T	25.4MM	\$285.00
SSBL350-CERMET110	STAINLESS & MILD STEEL	110T	25.4MM	\$315.00

MULTITOOL 8" BENCH GRINDER WITH BELT ATTACHMENT

- Industrial quality for demanding professional workshops
- Powerful 750W 240v motor
- Genuine Multitool finishing attachment
- Extra heavy-duty tool rests and eye shields
- 8" Wheel size
- 915 x 50mm Multitool



NORMALLY \$529

• \$499

PART NO.	MOTOR	WHEEL SIZE	BELT SIZE
P0362-200HD	750W 240V	200MM	915 x 50mm

MULTITOOL 200MM 750W INDUSTRIAL BENCH GRINDER

- 750W (1hp) 240v induction motor
- 200 x 25mm wheel size
- Cast iron body & base
- Capacitor start / run motor
- N.V.R. safety switch
- Large eye shields for added user safety
- Heavy-duty tool rests
- Spindle Thread: 5/8" UNC
- Weight: 23kg



NORMALLY \$384

• \$355

PART NO.	MOTOR	SPEED	WHEEL SIZE	WEIGHT
P0200HD	750W (1HP)	2,950 RPM	200 x 25MM	23KG

ITM HEAVY DUTY BENCH GRINDER STANDS

- For use with most 200mm and 250mm grinders
- 855mm work height
- Heavy-duty steel construction
- Parts / water tray holder on front
- Pre-slotted top plate for multi-fit applications
- Top Plate: 350 x 250 x 5mm
- Base Plate: 350 x 250 x 5mm
- Tube Dimension: 100 x 100mm



PART NO.	E-STOP SWITCH	SUITS	WEIGHT	PRICE
TM403-016	NO	200MM & 250MM	11.5KG	\$185.00
TM403-018	YES	200MM & 250MM	14KG	\$280.00

ITM BM6 18V CORDLESS BEVELLER

- Continuous bevel width adjustment up to 6 mm at 45 degrees (30 degrees – option)
- Creates a perfect radius R2, R3, R4 or R5 in just one pass, saving time & money over conventional grinding methods
- 18V LIHD CAS battery platform
- 900w motor
- Single 45-degree milling head for both radius and V bevels
- Minimal diameter of countersinking: 40 mm
- Minimum workpiece thickness: 4 mm



• \$2395

PART NO.	MAX. BEVEL	WEIGHT
WA-BM6-18V	6MM, R2-R5	3.7KG

MULTITOOL 10" BENCH GRINDER WITH 48" BELT ATTACHMENT

- Powerful 900W induction motor
- Genuine Multitool finishing attachment
- NVR Safety stop switch
- 10" grinding wheel
- Cast iron body & base
- Toolless belt change
- 3 year warranty




Multitool
INTERNATIONAL

PART NO.	BELT SIZE	WHEEL SIZE	MOTOR	NORMALLY	NOW
P0482-250	1220 X 50MM	250MM (10")	900W 240V	\$882.00	\$819.00
P0484-250	1220 X 100MM	250MM (10")	900W 240V	\$1139.00	\$999.00

MULTITOOL 915X50MM BELT & DISC ATTACHMENT

- The Genuine Multitool is a renowned, Australian designed belt grinding attachment which can be used on most bench grinders
- Suits most 150mm & 200mm bench grinders
- 36" x 2" (915 x 50mm) belt
- 7" (178mm) disc
- 89mm rubber contact wheel
- Toolless belt change under 5 seconds
- Grind, sand or polish in 5 positions
- 3 year warranty



NORMALLY \$248

• \$235

Multitool
INTERNATIONAL

PART NO.	BELT SIZE	DISC SIZE	MINIMUM GRINDER POWER
P0362	915 X 50MM	178MM	1/2 HP 375W

GRIMAX 3.6KW BELT GRINDER 150 X 2000MM

- 3.6kW 415V 3 Phase motor
- Grinding Belt: 2000 x 150mm
- Contact Wheel: 200 x 150mm
- Platen Surface: 540 x 150mm
- 2860rpm belt speed for fast metal removal
- Smooth, low vibration operation
- 5mm thick multi-position work rest
- Precise belt tracking adjustment
- Emergency Stop N.V.R. safety switch
- Made in Denmark, 5 year motor warranty



NORMALLY \$4359

• \$3899

PRICE CUT

PART NO.	MOTOR	CONTACT WHEEL	PLATEN SURFACE
GRIMAX150	3.6KW 3PHASE 415V	200 X 150MM	540 X 150MM

WORK SHARP FOLDING FIELD SHARPENER

- Compact foldable design with metal pivot
- Pocket clip for easy carry
- Built-in guides for easy sharpening
- Rugged glass filled nylon frame
- 400 Grit Diamond with 20° guide
- Fine Ceramic with 25° guide
- 3 year warranty



\$69



PART NO.	SHARPENING ANGLES	ABRASIVES
WSEDCFFS	20° TO 25°	400 GRIT DIAMOND AND FINE CERAMIC

WORK SHARP PRECISION ADJUST KNIFE SHARPENER

- Sharpening angles 15° to 30°, adjustable in 1° increments
- 3 abrasives on rotating handle
- 320 & 600 grit diamond plus fine ceramic abrasives
- V-Block knife clamp holds blades securely
- Slide rod with O-ring stops
- 3 year warranty



NORMALLY \$185

\$169



PART NO.	SHARPENING ANGLES	ABRASIVES
WSBCHPAJ-I	15° TO 30°	320G & 600G DIAMOND, FINE CERAMIC

DRILL DOCTOR XP DRILL BIT SHARPENER

- Creates and sharpens split point bits
- Adjustable relief angle
- 240V motor
- 3-year warranty



\$279

PART NO.	DRILL BIT CAPACITY	SHARPENING ANGLE
DDXP	2.5mm to 13mm	118°

WORK SHARP GUIDED FIELD SHARPENER ELITE

- Built-in 20° & 25° angle guides
- 220, 400, 600 & 800 grit diamond plates
- 3-position ceramic rod with fish hook groove
- Ceramic rod for serrations
- Leather strop & broadhead wrench
- Zippered carry case



NORMALLY \$159

\$149



PART NO.	SHARPENING ANGLES	ABRASIVES
WSGFS-ELT	20°, 25°	DIAMOND, LEATHER, CERAMIC

WORK SHARP MK2, ELECTRIC KNIFE SHARPENER

- Flexible belts suit straight & curved edges
- Dual speed motor for knives & tools
- Leather lined 20° & 25° angle guides
- Serrated knife & 65° scissor guides
- 6 Pce belt set: P80, P220 & 6000 grit
- 3 year warranty



NORMALLY \$270

\$259



PART NO.	SHARPENING ANGLES	ABRASIVES
WSKTS2-I	20° 25° 65°	80G, 220G & 6000G

DRILL DOCTOR 750X DRILL BIT SHARPENER

- Top of the line tradesman model
- 2.5mm to 19mm drill bit capacity
- Creates and sharpens split point bits
- 240V motor
- 3-year warranty



\$559

PART NO.	DRILL BIT CAPACITY	SHARPENING ANGLE
DD750X	2.5mm to 19mm	115° to 140°

Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. Stock availability of advertised items cannot be guaranteed for duration of promotion. OFFERS VALID TO 31ST JANUARY 2027

LOCAL DISTRIBUTOR